### OATH/DECLARATION

The oath or declaration is defective. The examiner states:

A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP§§ 602.01 and 602.02. The oath or declaration is defective because it does not identify the date that inventor Li Fun Chang signed the oath or declaration.

The applicant submits that the oath as submitted identifies the date that inventor Li Fun Chang signed the oath or declaration as December 31, 2003. Thus the applicant respectfully requests that the examiner withdraw the objection to the Oath.

## **CLAIM REJECTIONS - 35 USC § 112**

Claims 27 and 28 stand rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The Examiner states:

Claims 27 and 28 recite the limitation "The wireless terminal of claim 32". It is unclear which "wireless terminal" the limitation refers to since claim 32 does not exist.

The limitation is suggested to be changed to -The wireless terminal of claim 21-.

The applicant submits that Claims 27 and 28 have been amended to overcome the rejection as being indefinite. Thus the applicant respectfully requests that the examiner withdraw the rejection to Claims 27 and 28.

# Claim Rejections – 35 USC § 102

Claims 1-3 and 5-29 stand rejected under 35 U.S.C. 102(e) as being anticipated by Tolmunen et al (6,658,235). The Examiner states:

- Regarding to claim 1, Tolmunen et al discloses a method to determine whether a first wireless terminal (2) (see figure 3b) may transmit on an uplink to a servicing base station (see figure 3a) in a cellular wireless communication system, the method comprises:

procedure (2) (see figure 3b) of receiving four Radio Frequency (RF) bursts from the servicing base station, wherein the four RF bursts carry a data block that includes: Uplink State Flag (USF) bits; and Data bits "stealing bits" carrying information on a channel encoding scheme intended for the first wireless terminal and at least a second wireless terminal which shares the same time slot with the first wireless terminal (see col. 4, line 27 to col. 6, line 65, col. 8, line 63 to col. 11 line 13), (the Data bits "stealing bits" considered here equivalent with the limitation "Data bits intended for a second wireless terminal"); procedure (comprising (14, 15,16,17, 18, 21) (see figure 3b)) of processing the four RF bursts to produce the data block in an encoded format; and partially decoding the data block in the encoded format to extract the USF bits (see col. 9, line 18 to col. 10, line 55); and procedure (2) of using the USF bits to determine whether the first wireless terminal may transmit on the uplink to the servicing base station (see col. 10, line 53 to col. 11, line 13).

- Regarding to claim 2, Tolmunen et al discloses procedure (20) (see figure 3 b) of decoding the data block after, or namely in the background when, the USF bits have been extracted from the data block (see col. 10, line 37-55).
- -Regarding to claim 3, Tolmunen et al discloses that the data block corresponds to a GSM frame and each RF burst corresponds to a GSM sub-frame of the GSM frame (see col. 4, lines 27-38).
- -Regarding to claim 5, Tolmunen et al discloses that the first wireless terminal is a wireless terminal that operates according to the GSM standard (see col. 3, line 65 to col. 4, line 38, col. 8, lines 1-4).
- -Regarding to claim 6, Tolmunen et al teaches that the data block is encoded according to a CS-1 encoding scheme of a GPRS portion of the GSM standard (see col. 3, line 65 to col. 4, line 38, col. 8, lines 1-4, col. 6, lines 43-49, col. 8, lines 30-49).
- -Regarding to claim 7, Tolmunen et al discloses that the data block is encoded according to both an outer encoding scheme (5) and an inner encoding scheme (6, 8) (see figure 3a, col. 8, lines 30-60); and the procedure of partially decoding the data block includes partially decoding the data block according to only the inner encoding scheme (see col. 10, lines 37-55)

-Regarding to claim 8, Tolmunen et al discloses that the outer encoding scheme comprises a linear binary block coding scheme "CRC"; and the inner encoding scheme comprises convolutional encoding (see figure 3a, col. 8, lines 30-60).

-Regarding to claim 9, Tolmunen et al discloses that the outer encoding scheme comprises a block coding scheme "CRC", (considered here equivalent with the limitation "Fire encoding"), allowing error correction and error detection; and the inner encoding scheme comprises convolutional encoding (see figure 3a, col. 8, lines 30-60).

-Regarding to claim 10, Tolmunen et al discloses procedure (16) of deinterleaving the data block prior to partially decoding the data block (see figure 3b).

-Regarding to claim 11, Tolmunen et al discloses that the USF bits indicate: whether a corresponding uplink is available; and when the corresponding uplink is not available, an indication of a wireless terminal using the uplink (see col. 10, line 52 to col. 11, line 13).

-Regarding to claim 12, as similarly applied to claims 1-3, 5-11, set forth above and herein incorporated, Tolmunen et al discloses a wireless terminal (2) (see figure 3b) that comprises: a Radio Frequency (RF) front end (comprising (14)) operable to communicate with a servicing base station, wherein the RF front is operable to receive four RF bursts from the servicing base station

that carries a data block having Uplink State Flag (USF) bits and data bits intended for a differing wireless terminal and to down convert the four RF bursts to produce a baseband signal; a baseband processor (comprising (15, 16, 17) of communicatively coupled to the RF front end that is operable to receive the baseband signal from the RF front end and to process the baseband signal to produce the data block in an encoded format; and an enCOder/DECoder (CODEC) processing module (comprising (18, 21, 20) (see figure 3b) and/or (CODEC) (see figure 6)) of communicatively coupled to the baseband processor that is operable to: receive the data block in the encoded format from the baseband processor; partially decode the data block in the encoded format to extract the USF bits; fully decode data blocks carrying data bits intended for the wireless terminal; and encode outgoing data bits to produce outgoing data blocks in an encoded format (see col. 10, lines 37-51, col. 11, line 29 to col. 12, line 42).

- -Claim 13 is rejected with similar reasons set forth for claim 2.
- -Claim 14 is rejected with similar reasons set forth for claim 3.
- -Claim 15 is rejected with similar reasons set forth for claim 5.
- -Claim 16 is rejected with similar reasons set forth for claim 6.
- -Claim 17 is rejected with similar reasons set forth for claim 7.
- -Claim 18 is rejected with similar reasons set forth for claim 8.
- -Claim 19 is rejected with similar reasons set forth for claim 9.

-Claim 20 is rejected with similar reasons set forth for claim 11.

-Regarding to claim 21, as similarly applied to claims 1-3, 5-20, set forth above and herein incorporated, Tolmunen et al discloses a wireless terminal (2) (see figure 3b) that comprises: a Radio Frequency (RF) front end (comprising (14)) (see figure 3b) operable to communicate with a servicing base station, wherein the RF front receives four RF bursts from the servicing base station that carries an data block having Uplink State Flag (USF) bits and data bits intended for a differing wireless terminal and to down convert the four RF bursts to produce a baseband signal; and a baseband processor (comprising (15, 16, 17, 18, 21, 20) (see figure 3b) and/or (CODEC) (see figure 6)) communicatively coupled to the RF front end that is operable to: receive the baseband signal from the RF front end and to process the baseband signal to produce the data block in an encoded format; partially decode the data block in the encoded format to extract the USF bits; fully decode other data blocks carrying data bits intended for the wireless terminal; and encode outgoing data bits to produce outgoing data blocks.

- -Claim 22 is rejected with similar reasons set forth for claim 2.
- -Claim 23 is rejected with similar reasons set forth for claim 3.
- -Claim 24 is rejected with similar reasons set forth for claim 5.
- -Claim 25 is rejected with similar reasons set forth for claim 6.

-Claim 26 is rejected with similar reasons set forth for claim 7.

-Claim 27 is rejected with similar reasons set forth for claim 8.

-Claim 28 is rejected with similar reasons set forth for claim 9

-Claim 29 is rejected with similar reasons set forth for claim 11.

The applicant respectfully submits that the limitations of allowable Claim 4 have been incorporated into the independent claims 4, 12, and 21. Thus the applicant respectfully submits that Claims 2-29 are allowable and requests that the rejection be withdrawn.

#### **REMARKS**

Applicant appreciates the time taken by the Examiner to review Applicant's present application. This application has been carefully reviewed in light of the Official Action mailed February 18, 2005. Applicant respectfully requests reconsideration and favorable action in this case.

## **CONCLUSION**

Applicant has now made an earnest attempt to place this case in condition for allowance. For the foregoing reasons and for other reasons clearly apparent, Applicant respectfully requests full allowance of Claims 2-29.

While Applicants believe no fee is due with this transmission, if any fees are due, the Commissioner is hereby authorized to charge Deposit Account No. 50-2126 of Garlick, Harrison and Markison.

Atty. Docket No.: 3002

Respectfully submitted,

By:\_\_\_\_

Robert A. McLauchlan Reg. No. 44,924

ATTORNEY FOR APPLICANT

Dated: September 16, 2007

Garlick Harrison Markison, LLP P.O. Box 160727 Austin, Texas 78716-0727 (512) 228-3611 (512) 339-4100 (Fax) **--- ∓** 

PTC/SB/01 (10\_00)
Approved for use through 10/31/2002, OMB 0651-0035
U.S. Patent and Tredemark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to reapond to a collection of Information unless it displays a valid OMB control number.

· · ·		Attorney Docket Numb	-	mass it displays a van	O OMB CORROL HUMBER
DECLARATION FOR DESIGN		First Named Inventor	Li Fung Ch	ang	
PATENT APPLI	CATION		COMPLETE IF KNO	NW	
(37 CFR 1.	63)	Application Number			
	claration bmitted after initial	Filing Date		•	
with Initial OR File	ng (surcharge ' CFR 1.16(e))	Group Art Unit		100 00 - 0	<del></del> -
	quired)	Examiner Name			
the specification of which is attached hereto OR was filed on (MM/DD/YY Application Number I hereby state that I have reviewe as amended by any amendment s	address, and citizent and sole inventor (if description of the subject matter which with the subject matter which with the subject matter with the specifically referred to subject to subj	zenship are as stated below is claimed and for which a part of the Invention)  as United States was amended on (MM/DD/) contents of the above identification.	) or an original, first lent is sought on the S FLAG BITS IN Application Number (YYY)	and joint inventor ( invention entitled:  A CELLULAR  or PCT Internation  (if a	
I acknowledge the duty to disclos continuation-in-part applications, and the national or PCT internation.  I hereby claim foreign priority berinventor's certificate, or 365(a) of United States of America, listed to patent or inventor's certificate, or which priority is claimed.	material information wind filing date of the conefits under 35 U.S.C. any PCT international pelow and have also id	hich became available betwe ntinuation-in-part application 119(a)-(d) or 365(b) of any f application which designate lantified below, by checkign	en the filing date of oreign application(s) d at least one count the box, any foreign	the prior application  for patent or  ry other than the application for	n
Prior Foreign Applications	Country	Foreign Filing Date	Priority	Certified Cop	-
Numbers(s)		(MM/DD/YYY)	Not Claimed	YES	
Additional forei	gn application numbers	s are listed on a supplementa	l priority data sheet	I PTO/SB/02B attacl	hed hereto:
I hereby claim the benefit under 35	5 U.S.C. 119 (e), 120, c	or 365 (c) of any U.S. or PCT	application(s) listed t	ielow.	
Application Numbers(s)	Filing Dat	e (MM/DD/YYYY)	Additiona	al application	
60/478,922		6/16/2003	suppleme	are listed on a ental priority data s 02B attached heret	
Please type a plus sign (+) ins	side this boy	SEND TO:	Assistant Commissione	r for Patents, Washi	ngton, DC 20231 PTO/SB/01 (10_00

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Panameter Reduction Act of 1995, no persons are reculted to respond to a collection of information unless it displays a valid OMB control number.

# **DECLARATION - Utility or Design Patent Application**

Direct all correspondence to: X Customer N or Bar Code		34,399			OR X	Çorn	espondence address below
Name Robert A. McLauchlan							
Address P. Q. Box 160727							
Address							
City Austin				State	TX		78716-0727 zip
Country USA		Telephone (5					FAX (512) 692-2529
I hereby declare that all statements made herein of mediate are believed to be true; and further that these states so made are punishable by tine or imprisonment, the validity of the application or any patent issued the	tatement or both, :	s were made with under 18 U.S.c. 1	the 1001	knowledg and that	e that will such willfo	lful fal Il false	se statements and the statements may jeorpardize
NAME OF SOLE OR FIRST INVENTOR	t:   [	A petition				r thi:	s unsigned inventor
Given Name  (first and middle [if any])				mily Na Surnar		C	Chang
Inventor's Signature	/	bar 4				Dat	e /2/3//03
Residence: City Holmdel	s	tate	Co	ountry	US	Citi	zenship <sup>US</sup>
Mailing Address 11 Burgundy Drive						•	
Mailing Address			ļ		•		
City Holmdel	State	NJ		ZIP 07	733		Country US
NAME OF SECOND INVENTOR:	Ē	A petition				r thi	s unsigned inventor
Given Name (first and middle [if any]) A				mily Na Surnai		Ya	ng
Inventor's Signature English Company				1111		Dat	e 12/24/2003
Residence: City   Iselin	s	tate NI	Co	untry	US	1	zenship P.R. China
Mailing Address 44 Gill Lane, Apt. 2E							
Mailing Address							
City Iselin	State	ŊJ		ZIP	08830		Country US
Additional inventors are being named on attached hereto.	the	_ supplemental A	Addi	tional Inve	entor(s) sh	ıbéts(	s) PTO/SB/02A
· · · · · · · · · · · · · · · · · · ·				-			
Please type a plus sign (+) inside this box —	- +	,	U.S.	Patent and	Trademari	k Offic	PTO/SB/01 (10_00) ise through 10/31/2002. OMB 0651-0035 e: U.S. DEPARTMENT OF COMMERCE
Under the Paperwark Reduction Act of 1995, no person	ıs are requ	uired to respond to	a co	lection of i	nformation	unless	It displays a valid OMB control number.
NAME OF THIRD INVENTOR:		A petition	has	been 1	filed for	this	unsigned inventor

(first and middle [if any]) Nelson Inventor's	111	<del>,                                    </del>		0	r Surname S	ollenberger	
Signature # /	<u> </u>	<u></u>	<u> </u>		,	Date /2/24/0	
Residence: City Farmingdale			State 1	4J	Country US	Citizenship US	
Mailing Address 193 Cranberry I	Road				<u>-</u> -		
Mailing Address		-					
City Farmingdale	Sta	ite	NJ		<b>ZIP</b> 07727	Country US	
NAME OF FOURTH INVENTOR:			A petition	on h	as been filed fo	or this unsigned inventor	
Given Name (first and middle [if any])					amily Name r Surname		
Inventor's Signature						Date	
Residence: City			State		Country	Citizenship	
Mailing Address						·-	
Mailing Address			<del></del>		<del> </del>		
City	State				ZIP	Country US	
NAME OF FIFTH INVENTOR:			A petitio	on h	as been filed fo	r this unsigned inventor	
Given Name (first and middle [if any])					amily Name r Surname		
Inventor's Signature						Date	
Residence: City		!	State		Country	Citizenship	
Mailing Address							
Mailing Address							
City	Sta	State			ZIP	Country	
Please type a plus sign (+) Inside this box		- +			Appro	PTO/SB/0 9 ved for use through 10/31/2002, OMB	
Under the Paperwork Reduction Act of 1995, no	o persons ar	re requi	red to respond	to a	J.S. Patent and Tradem	ark Office: U.S. DEPARTMENT OF COI	
<del></del>		_	− □ A petiti	on l	nas been filed fo	or this unsigned inventor	
NAME OF SIXTH INVENTOR:		L.		_			